



EG safety data sheet

Trade name: LEYBONOL LVO 100 Date of issue: 06/25/2009

1. Identification of the substance/preparation and company

Trade name: LEYBONOL LVO 100

Use: Vacuum pump oil

Order number: Number Package Size

L10001 1 Liter L10005 5 Liter L10020 20 Liter L10099 208 Liter

Identification of the manufacturer/supplier

Address supplier Oerlikon Leybold Vacuum GmbH

Bonner Str. 498 D-50968 Cologne

Phone +49-221-347-0 Fax +49-221-347-1250

E-Mail documentation.vacuum@oerlikon.com Internet www.oerlikon.com/leyboldvacuum

Advice: Phone +49-221-347-1906

2. Hazards identification

This substance is not classified as dangerous according to Directive 67/548/EEC as amended and adapted. See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

3. Composition/information on ingredients

Highly refined base oil (IP 346 DMSO extract < 3%).

This product does not contain any hazardous ingredients at or above regulated thresholds.

4. First aid measures

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes. Get medical attention if irritation occurs.

Skin Contact: In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention if irritation develops.

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms

appear.

Ingestion: Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

If potentially dangerous quantities of this material have been

swallowed, call a physician immediately.

Notes to physician: Treatment should in general be symptomatic and directed to relieving

any effects.





EG safety data sheet

Trade name: LEYBONOL LVO 100 Date of issue: 06/25/2009

5. Fire fighting measures

Extinguishing Media

Suitable: In case of fire, use foam, dry chemical or carbon dioxide extinguisher

or spray.

Not Suitable: Do not use water jet.

Hazardous decomposition products: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Unusual fire/explosion Hazards: This material is not explosive as defined by established regulatory

criteria.

Special fire-fighting procedures: None identified.

Protection of fire-fighters: Fire-fighters should wear positive pressure self-contained breathing

apparatus (SCBA) and full turnout gear.

6. Accidental release measures

Personal Precautions: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective

equipment (see section 8).

Environmental precautions: Avoid dispersal of spilt material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Large spill: Stop leak if without risk. Move containers from spill area. Approach

the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency

contact information and section 13 for waste disposal.

Small spill: Stop leak if without risk. Move containers from spill area. Absorb with

an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling: Wash thoroughly after handling. Avoid strong oxidisers.

Storage: Keep container tightly closed. Keep container in a cool, well-

ventilated area.

Not Suitable: Prolonged exposure to elevated temperature





EG safety data sheet

Trade name: LEYBONOL LVO 100 Date of issue: 06/25/2009

8. Exposure controls/personal protection

Ingredient name Occupational exposure limits

ACGIH TLVs

Base oil – unspecified ACGIH (United States).

STEL: 10 mg/m³ 15 minute(s). Form: Mineral oil, mist TWA: 5 mg/m³ 8 hour(s). Form: Mineral oil, mist

For information and guidance, the ACGIH values are included. For further information on these please consult your supplier.

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Exposure controls

Occupational exposure controls: Provide exhaust ventilation or other engineering controls to keep the

airborne concentrations of vapours below their respective

occupational exposure limits.

All chemicals should be assessed for their risks to health and appropriate control measures put in place to prevent or adequately control exposure. A hierarchy of control measures exists (e.g. elimination, substitution, general ventilation, containment, systems of work, changing the process or activity) that must be considered before use of personal protective equipment. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the

end of the working period.

Personal protective equipment

Respiratory protection: Respiratory protective equipment is not normally required where

there is adequate natural or local exhaust ventilation to control

exposure.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Respiratory protective equipment must be checked to ensure it fits

correctly each time it is worn.

Air-filtering respirators, also called air-purifying respirators, will not be adequate under conditions of oxygen deficiency (i.e. low oxygen concentration), and would not be considered suitable where airborne concentrations of chemicals with a significant hazard are present. In these cases air-supplied breathing apparatus will be required. Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65 °C) may be required if vapour or abnormal odour is also present due to high product temperature. Use

Date of printing: September 1, 2010

filter type AP or comparable standard.





EG safety data sheet

Trade name: LEYBONOL LVO 100 Date of issue: 06/25/2009

Hand protection: Wear protective gloves if prolonged or repeated contact is likely.

Wear chemical resistant gloves.

Recommended: nitrile gloves

Protective gloves will deteriorate over time due to physical and chemical damage. Inspect and replace gloves on a regular basis. The frequency of replacement will depend upon the circumstances of

use.

Eye protection: Safety glasses with side shields.

Skin and body:Use of protective clothing is good industrial practice.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious

chemical suits and boots will be required.

9. Physical and chemical properties

General information

Appearance

ColourAmberPhysical stateLiquidOdourOily

Important health, safety and environmental information

Flash point Open cup: >250 °C (>482 °F) [Cleveland.]

Viscosity Kinematic: 92 mm2/s at 40 ℃ Kinematic: 10.6 mm2/s at 100 ℃

Pour Point -12 ℃

Density 878 kg/m3 at 15 °C Solubility Insoluble in water

10. Stability and reactivity

Stability: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid: No specific data.

Materials to avoid: Reactive or incompatible with the following materials: oxidizing

materials.

Hazardous decomposition products: Combustion products may include the following:

carbon oxides

Under normal conditions of storage and use, hazardous decomposition products should not be produced.





EG safety data sheet

Trade name: LEYBONOL LVO 100 Date of issue: 06/25/2009

11. Toxicological information

Acute toxicity: Unlikely to cause more than transient stinging or redness if

accidental eye contact occurs.

Unlikely to cause harm to the skin on brief or occasional contact but

prolonged or repeated exposure may lead to dermatitis.

Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.

At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting

from thermal decomposition products occurs.

Chronic toxicity

Chronic effects: No known significant effects or critical hazards.

Effects and symptoms

Eye: No significant health hazards identified. Skin: No significant health hazards identified. Inhalation: No significant health hazards identified. Ingestion: No significant health hazards identified. No significant health hazards identified.

12. Ecological information

Persistence/degradability: Inherently biodegradable

Mobility: Spillages may penetrate the soil causing ground water

contamination.

Bioaccumulative potential: This product is not expected to bioaccumulate through food chains in

the environment.

Environmental hazards: Not classified as dangerous.

Other ecological information: Spills may form a film on water surfaces causing physical damage to

organisms. Oxygen transfer could also be impaired.

13. Disposal Consideration

Disposal Consideration/Waste information:

The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a

safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of printing: September 1, 2010





EG safety data sheet

Trade name: LEYBONOL LVO 100 Date of issue: 06/25/2009

Used product

European waste catalogue (EWC): 13 02 05* mineral-based non-chlorinated engine, gear and lubricating

oils

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal

code to be assigned by the end user.

14. Transport information

Not classified as hazardous for transport (ADR/RID, ADNR, IMDG, ICAO/IATA)).

15. Regulatory information

Classification and labelling have been performed according to EU directives 1999/45/EC and 67/548/EEC as amended and adapted.

Label Requirements

Risk Phrases: This product is not classified according to the EU regulations.

Other regulations

Europe inventory: All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory (ENCS): Not determined.

Korea inventory (KECI): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Hazard Class for water

(WGK), according to VwVwS: 1 Appendix No. 4

16. Other information

History

Date of issue: 06/25/2009

Date of printing: September 1, 2010





EG safety data sheet

Trade name: LEYBONOL LVO 100 Date of issue: 06/25/2009

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Oerlikon Leybold Vacuum GmbH shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Date of printing: September 1, 2010