







Data sheet - Hepta 100

Hepta 100, 220/380 V, 60 Hz

High-performance screw pump with a pumping speed of 130 m³/h

Data sheet - Hepta 100

Hepta 100, 220/380 V, 60 Hz


Hepta 100




- High-performance screw pump with a pumping speed of 130 m³/h
- For mains voltage: 220/380, 60 Hz, 3 ph
- Ideal solution for all areas in which oil-free vacuum is required
- Lower energy costs thanks to internal compression
- For applications in the low and medium vacuum

Characteristics

Similar Image



Dimensions



Α	1395 mm
В	900 mm
С	800 mm
D	454 mm
DN 1	DN 63 ISO-K
DN 2	DN 40 PN 16
Е	505 mm
F	222 mm
G	68 mm
Н	232 mm
I	262 mm
J	412 mm
K	533 mm
L	597 mm
М	337 mm
N	262 mm
0	586 mm

Data sheet - Hepta 100

Hepta 100, 220/380 V, 60 Hz

Technical Data	Hepta 100, 220/380 V, 60 Hz
Ambient temperature	0-50 °C
Cooling water consumption	2-6 l/min
Cooling water pressure	300-600 kPa
Cooling water temperature	10-25 °C
Flange (in)	DN 63 ISO-F
Flange (out)	DN 40 PN 16
Mains requirement: voltage 60 Hz	220-380 V
Motor rating 60 Hz	4.8 kW
Nominal pumping speed at 60 Hz	130 m ³ /h
Nominal rotation speed at 60 Hz	3600 rpm
Operating fluid	D1
Operating fluid filling	1.6
Protection category	IP 55
Sound pressure level	74 dB (A)
Ultimate pressure	<= 0.01 hPa
Weight	275 kg
Order number	PUV10123
Accessories HenaLine™	
SAS 63, DN 63 ISO-K, polyester filter	PKZ60511
Accessories UnoLine™ Plus	
Barretter actuation unit 3TF	P4768051FQ
Consumables	Hepta 100, 220/380 V, 60 Hz
D1, oil, 1 l	PK005875-T
D1, oil, 5 l	PK005876-T
D1, oil, 20 I	PK005877-T



Vacuum solutions from a single source

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

Complete range of products

From a single component to complex systems: We are the only supplier of vacuum technology that provides a complete product portfolio.

Competence in theory and practice

Benefit from our know-how and our portfolio of training opportunities! We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a perfect vacuum solution? Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de
www.pfeiffer-vacuum.com