

PRODUCT NAME : OIL - APIEZON A, AP201, B, BW, C & G

1. Product and Company Identification

Product Name: Apiezon A Oil, Apiezon AP201 Oil, Apiezon B Oil, Apiezon BW Oil, Apiezon C Oil, Apiezon G Oil

Synonyms: None

Item Numbers : Apiezon AP201 Oil: H026-01-050, H026-01-052; H026-01-054
Apiezon B Oil: H023-00-037
Apiezon BW Oil: H111-01-016
Apiezon C Oil: H023-00-039
Apiezon G Oil: H111-02-013

European Contact Details

BOC Edwards, Manor Royal, Crawley,
West Sussex, RH10 2LW, England
General enquiries
UK : +44 (0)1293 528844
France : +(33) 1 47 98 24 01
Germany : +(49) 89-991918-0
Italy : +(39) 0248-4471

US Contact Details

BOC Edwards, 301 Ballardvale Street,
Wilmington, MA 01887
General enquiries
+(1) 978-658-5410
Toll Free: 1-800-848-9800

24 h Emergency telephone number:

Chemtrec : 1-800-424-9300

2. Composition/Information on Ingredients

Ingredient	% Weight	CAS No	Hazard class*	Risk phrase*
Refined mineral oil	100	A, AP201,B, C, G: 68894-12-2 BW: 72413-79-7	Not applicable	Not applicable

*Hazard class & Risk phrase. These columns are only completed for ingredients which are classified as hazardous under EU Directive (67/548/EEC, as amended) and are present in sufficient concentration to make the overall substance hazardous. In all other situations, the column will be completed as "Not applicable".

3. Hazards Identification

EMERGENCY OVERVIEW

This material when properly handled according to good working and hygienic practices is not dangerous to human health and the environment.

For short and long term exposure effects see Section 11 Toxicological data

PRODUCT NAME : OIL - APIEZON A, AP201, B, BW, C & G

Eye Effects: May cause transient irritation.

Skin Effects: May cause minimal irritation after short term exposure. Repeated and prolonged contact may be expected to cause some irritation.

Ingestion/ Oral Effects: May be considered as non-toxic following oral administration. May cause nausea, vomiting and diarrhoea.

Inhalation Effects: Low volatility makes hazardous inhalation effects unlikely.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

NFPA Hazard codes		HMIS Hazard codes		Rating System
Health	1	Health	1	0 = No Hazard
Flammability	1	Flammability	1	1 = Slight hazard
Instability	0	Reactivity	0	2 = Moderate Hazard
				3 = Serious Hazard
				4 = Severe hazard

4. First Aid Measures

Eyes: Irrigate with copious quantities of water. If irritation persists, seek medical attention.

Skin: Wash with soap and water. If irritation persists, seek medical attention.

Ingestion/Oral: Do not induce vomiting. Obtain medical attention.

Inhalation: None envisaged. If high concentrations of mists or fumes are inhaled, remove to fresh air. If breathing problems occur, a qualified individual should administer oxygen or artificial respiration as indicated. Seek immediate medical attention.

Other Information: None.

5. Fire Fighting Measures

Extinguishing Media: Carbon dioxide, dry powder, foam or water fog. Do not use water jets.

Fire and Explosion Hazard: No unusual hazards known. Decomposition products: partially decomposed hydrocarbons. Direct water stream may cause violent frothing.

Special Protective Equipment for Fire Fighters: In confined spaces, fire fighters should wear a self-contained breathing apparatus (SCBA) which meets appropriate standards operated in positive pressure mode and full turnout gear.

For Flammability Properties - see Section 9

PRODUCT NAME : OIL - APIEZON A, AP201, B, BW, C & G

6. Accidental Release Measures

Contain spill: Soak up spill with absorbent granules before washing area to prevent slip hazard. Prevent product from entering drains, sewers and watercourses.

7. Handling and Storage

Handling and storage require no special precautions.

8. Exposure Controls/Personal Protection

Exposure Limits

Ingredient	ACGIH - TLV	OSHA - PEL	Occupational Exposure Limits EH40 (UK)
Refined mineral oil	5 mg/m ³ - 8 H TWA ¹ 10 mg/m ³ - STEL (as oil mist, mineral)	5 mg/m ³ - 8 H TWA (as oil mist, mineral)	5 mg/m ³ - 8h TWA ² 10 mg/m ³ -STEL ² (as oil mist, mineral)

¹ As sampled by a method which does not collect vapour.

² Recommendation by the manufacturer for oil mists.

Personal Protection:

- Engineering Measures: None required under normal conditions of use..
- Respiratory Protection: None required under normal conditions of use.
- Hand/Skin Protection: Wear impervious gloves. Avoid prolonged exposure.
- Eye/Face Protection: Use chemical splash goggles in case of splashing.
- Hygiene Measures: Practice good workplace hygiene. Do not eat or smoke when handling. Wash hands after use and before eating.
- Other/General Protection: None.

9. Physical and Chemical Properties

Apiezion A Oil

Appearance and Odour	Pale amber liquid with an oily odour	Boiling Point @ 1.33mbar/1Torr	190/374	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Very low	Auto Ignition	370/668	°C/°F
Volatile Content by Volume	No data available	Flash Point	210/410	°C/°F
Specific Gravity	0.845 @ 20° C/68°F			
Vapour Pressure (mbar)	1 x 10 ⁻⁶ @ 20° C	Vapour Pressure (Torr)	7.5 x 10 ⁻⁷ @ 68°F	


BOC EDWARDS
MATERIAL SAFETY DATA SHEET

P120-02-000 Issue: B Rev Date: 01-02-05 Page: 4 of 7

PRODUCT NAME : OIL - APIEZON A, AP201, B, BW, C & G

Apiezon AP201 Oil

Appearance and Odour	Pale amber liquid with an oily odour	Boiling Point @ 1.33mbar/1Torr	164/327	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Very low	Auto Ignition	>320/608	°C/°F
Volatile Content by Volume	No data available	Flash Point	196/385	°C/°F
Specific Gravity	0.885 @ 20° C/68°F			
Vapour Pressure (mbar)	5 x 10 ⁻⁶ @ 20° C	Vapour Pressure (Torr)	3.7 x 10 ⁻⁶ @ 68°F	

Apiezon B Oil

Appearance and Odour	Pale amber liquid with an oily odour	Boiling Point @ 1.33mbar/1Torr	220/428	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Very low	Auto Ignition	405/731	°C/°F
Volatile Content by Volume	No data available	Flash Point	243/469	°C/°F
Specific Gravity	0.872 @ 20° C/68°F			
Vapour Pressure (mbar)	1.3 x 10 ⁻⁶ @ 20° C	Vapour Pressure (Torr)	1 x 10 ⁻⁶ @ 68°F	

Apiezon BW Oil

Appearance and Odour	Water white liquid with an oily odour	Boiling Point @ 1.33mbar/1Torr	225/437	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Very low	Auto Ignition	>300/572	°C/°F
Volatile Content by Volume	No data available	Flash Point	249/480	°C/°F
Specific Gravity	0.882 @ 20° C/68°F			
Vapour Pressure (mbar)	2.7 x 10 ⁻⁸ @ 20° C	Vapour Pressure (Torr)	2 x 10 ⁻⁸ @ 68°F	

Apiezon C Oil

Appearance and Odour	Pale amber liquid with an oily odour	Boiling Point @ 1.33mbar/1Torr	255/491	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Very low	Auto Ignition	420/788	°C/°F
Volatile Content by Volume	No data available	Flash Point	266/511	°C/°F
Specific Gravity	0.875 @ 20° C/68°F			
Vapour Pressure (mbar)	4x 10 ⁻⁹ @ 20° C	Vapour Pressure (Torr)	3 x 10 ⁻⁹ @ 68°F	

PRODUCT NAME : OIL - APIEZON A, AP201, B, BW, C & G

Apiezon G Oil

Appearance and Odour	Pale amber liquid with an oily odour	Boiling Point @ 1.33mbar/1Torr	210/410	°C/°F
pH (as supplied)	No data available	Freezing Point	No data available	°C/°F
Solubility in Water	Very low	Auto Ignition	>300/572	°C/°F
Volatile Content by Volume	No data available	Flash Point	227/441	°C/°F
Specific Gravity	0.868@ 20° C/68°F			
Vapour Pressure (mbar)	1.33x 10 ⁻⁷ @ 20° C	Vapour Pressure (Torr)	1 x 10 ⁻⁷ @ 68°F	

10. Stability and Reactivity

Stability: Stable. Will not polymerise.
Material/Conditions to Avoid: Avoid temperatures above 180°C/356°F. Avoid strong oxidising agents.
Hazardous Decomposition: None known.

11. Toxicological Information

For a comprehensive description for the various toxicological (health) effects which may arise if the user comes into contact with the substance or preparation refer to Section 3 Hazards Identification.

Animal Data:

LD50 value: Oral: >2000 mg/kg (rat)
Dermal: >2000 mg/kg (rabbit)
LC50 value: No information available.

Carcinogenicity:

No known carcinogenic or mutagenic effects.

12. Ecological Information

When the product is used and/or disposed of as indicated no adverse environmental effects are foreseen.
Mobility: the material has low volatility in air and low solubility in water.
Degradability: the material is slowly biodegradable in aerobic conditions.

13. Disposal Considerations

The product and its packaging must be disposed of in accordance with local and national regulations. The product may be incinerated.

PRODUCT NAME : OIL - APIEZON A, AP201, B, BW, C & G

14. Transport Information

This product is not classified as dangerous under transport regulations.

PARAMETER	EUROPEAN	CANADIAN TDG	UNITED STATES DOT
Proper Shipping Name	Not applicable	Not applicable	Not applicable
Hazard Class	Not applicable	Not applicable	Not applicable
Identification Number	Not applicable	Not applicable	Not applicable
Shipping Label	Not applicable	Not applicable	Not applicable

15. Regulatory Information

European Regulatory Information

This product has been classified in accordance with the Dangerous Substances Directive (67/548/EEC, as amended) and the Preparations Directive (88/379/EEC, as amended), implemented in the UK as the Chemical (Hazard Information and Packing) Regulations 1994 (CHIP, as amended).

Classified as dangerous to supply: No

Risk Phrases: Not applicable

Safety Phrases: Not applicable

Symbols: None

United States Regulatory Information

All materials contained in this product are on the U.S. Toxic Substances Control Act (TSCA).

SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION:

This product does not contain toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) of 1986 and 40 CFR Part 372.

California Proposition 65: This product does not contain chemicals known to the State of California to cause cancer or reproductive toxicity.

Canadian Regulatory Information

WHMIS Classification: D2B

All ingredients in this product are included in the Canadian DSL.

PRODUCT NAME : OIL - APIEZON A, AP201, B, BW, C & G

16. Other Information

This MSDS is compiled in accordance with ANSI Z400.1 and the EU Safety Data Sheet Directive 91/155/EEC.

Sources of information for this data sheet:

- M & I Safety Data Sheets for Apiezon A Oil, Apiezon AP201 Oil, Apiezon B Oil, Apiezon BW Oil, Apiezon C Oil and Apiezon G Oil. Issue date: October, 1998.
- Communications with M & I Materials.
- Edwards Publication 'Fluids and Sealants'. Publication number 09-H021-20-895.
- National Library of Medicine (NLM) electronic databases (HSDB, RTECS, CHEMID, Toxline)

Glossary : **CAS**, Chemical Abstracts Service; **NFPA**, National Fire Protection Association; **HMIS**, Hazardous Material Information Service; **LD**, Lethal Dose; **LC**, Lethal Concentration; **ACGIH**, American Conference of Governmental Industrial Hygienists; **TLV**, threshold limit value; **OSHA**, Occupational Safety and Health Administration, US department of Labour; **PEL**, Permissible exposure limit; **EH40 (UK)**, HSE Guidance Note EH40 Occupational exposure limits; **PPM**, parts per million; **TWA**, Time-Weighted Average; **STEL**, Short Term Exposure Limit; **Canadian TDG**, Canadian Transportation of Dangerous Goods; **US DOT**, US Department of Transportation.

HSDB, Hazardous Substances Data Bank; **RTECS**, Registry of Toxic Effects of Chemical Substances; **CHEMID**, Chemical Identification; **DSL**, Domestic Substances List ; **TSCA**, Toxic Substances Control Act Public Law 94-469; **CERCLA**, Comprehensive Environmental Response, Compensation and Liability Act; **EPCRA**, Emergency Planning and Community Right-to-Know Act; **CAA**, Clean Air Act; US, **SARA (Title III)**, Superfund Amendments and Reauthorization Act.; **SARA 313**, Superfund Amendments and Reauthorization Act, Section 313; **EHS**, Extremely Hazardous Substance; **WHMIS**, Workplace Hazardous Materials Information System.

Revisions

Although the information and recommendations in this data sheet are to the best of our knowledge correct, it is recommended that you make your own determination of the material's suitability for your purpose before you use it. The information contained in this data sheet has been reproduced from the manufacturers data, the accuracy of this information is the responsibility of the manufacturer. BOC Edwards accept no responsibility for damage of any nature resulting from the use of, or the reliance upon this data sheet.