

Immersion Cooler (Neo Cool® Dip)

BE Series

Operating temp. range -20~+35°C

Easy to use compact benchtop immersion cooler in combination with water bath




- Cools down water bath immediately by dipping cooling coil into fluid
- Improved safety by adopting overcurrent circuit breaker
- Spiral tube of BE201 changed from copper to chrome plated copper with high corrosion resistance
- Stainless steel flexible cooling coil of BE201F/301 is high corrosion resistant and can be easily bent to fit various bath capacities
- Comes with handles for better usability

Specifications

Model	BE201	BE201F	BE301
Operating temp. range	-20~+35°C		
Ambient temperature	+5~+35°C		
Cooling capacity	190W at 0°C Naiburain 60% 5L Room temp. 20°C		350W at 0°C Naiburain 60% 10L Room temp. 20°C
Refrigerator	Reciprocating type 160W		Reciprocating type 400W
Refrigerant / amount	R134a/110g	R134a/160g	R404A/170g
Cooling coil	Chrome plated copper	SUS 304	
	Spiral tube	Flexible Tube	
	ø30x170mm (Winding O.D.xLength)	ø15x500mm (O.D.xLength)	
Power source	AC115V 50/60Hz 3A/2A AC220V 50/60Hz 2A/1.5A		AC115V 50/60Hz 5A/4.5A AC220V 50/60Hz 2.5A/2.5A
External dimensions*	W410xD320xH303mm		
Weight	~24kg		~25kg


* Protrusions not included

Cooling Capacity



Conditions:
Room temperature: 20°C
Power source: AC115V/50Hz
Cooling liquid: Naiburain 60% dilution
With tank lid and stirring bar in the tank

Cooling Coil




BE201
(Dia.30 x length170mm)

BE201F
(Dia.15 x length500mm)

BE301
(Dia.15 x length1000mm)

Cooling coils are made of different material and shape for different usage.

Temperature Decreasing Curve



Conditions:
Room temperature: 23°C
Power source: AC115V/50Hz
Cooling liquid: Naiburain 60% dilution
With tank lid and stirring bar in the tank


Cold Trap (optional item)

Cold trap made of Aluminum, easy cooling by Neocool dip.

Specifications

Product code	221481
External dimensions	ø210x290mm
Chamber dimensions	ø180x245mm
Cooling cylinder dimensions	ø45x220mm
Suction nozzle	ø18 (O.D.)
Chamber material	Aluminum (anodized finish)

Structure



Hose sold separately