

# Genuine Oils VM 032-150

Mineral Oils



VACUUM SOLUTIONS



## Proven performance

Proven mineral oils, for standard industrial applications, for temperatures up to 80 °C

## Cost-effective

Proven wear protection, less maintenance costs

## Reliable

Optimum lubrication properties, perfectly adapted to Busch vacuum pumps, prevent sealing leakage

# Genuine Oils VM 032-150

Mineral Oils



VACUUM SOLUTIONS

## Dimensional drawing

The following technical values refer to ISO Hz

	VM 032	VM 068	VM 100	VM 150
Article number 1 l	0831 000 086	0831 102 492	0831 000 060	0831 000 090
Article number 5 l	0831 000 087	0831 102 493	0831 000 059	0831 000 091
Article number 20 l			0831 166 905	
Base lubricant	Mineral	Mineral	Mineral	Mineral
Viscosity class	ISO VG 32	ISO VG 68	ISO VG 100	ISO VG 150
Kin. viscosity at 40°C	32 mm <sup>2</sup> /s	68 mm <sup>2</sup> /s	100 mm <sup>2</sup> /s	150 mm <sup>2</sup> /s
Kin. viscosity at 100°C	5.2 mm <sup>2</sup> /s	8.5 mm <sup>2</sup> /s	10.7 mm <sup>2</sup> /s	14.5 mm <sup>2</sup> /s
Density at 15° C	0.872 kg/l	0.884 kg/l	0.880 kg/l	0.891 kg/l
Flash point (COC)	225 °C	235 °C	265 °C	275 °C
Pour point	-18 °C	-15 °C	-12 °C	-12 °C
\$(technical_data_compatible_products)	R5 KB 0010 E R5 KB 0016 E R5 KB 0020 D R5 KB 0025 F R5 KB 0040 D R5 PB 0003 D R5 PB 0004 C R5 PB 0008 C R5 RB 0006 B/C/E	R5 KB 0010 E R5 KB 0016 E R5 KB 0020 D R5 KB 0025 F R5 KB 0040 D R5 RA 0010 B R5 RA 0010 C R5 RA 0016 B R5 RA 0016 C R5 RB 0006 B/C/E R5 RB 0021 B R5 RB 0021 C R5 RC 0021 C	R5 RA 0025 B R5 RA 0025 C/E/F R5 RA 0040 B R5 RA 0040 C/E/F R5 RA 0063 B R5 RA 0063 C/E/F R5 RA 0100 B R5 RA 0100 C/E/F R5 RA 0155 A R5 RA 0160 C R5 RA 0160 D R5 RA 0165 D R5 RA 0202 D R5 RA 0205 D R5 RA 0250 D R5 RA 0255 D R5 RA 0302 D R5 RA 0305 D R5 RA 0400 B R5 RA 0400 C R5 RA 0502 B R5 RA 0502 C R5 RA 0630 B R5 RA 0630 C R5 RA 0750 A R5 RA 0760 A PLUS R5 RA 0840 A PLUS R5 RA 1000 A PLUS R5 RA 1000 B R5 RA 1600 B R5 RD 0200 A R5 RD 0240 A R5 RD 0300 A	HUCKEPACK HO 0429 F HUCKEPACK HO 0433 F HUCKEPACK HO 0437 F HUCKEPACK HO 0441 F

# Genuine Oils VM 032-150

Mineral Oils



VACUUM SOLUTIONS

VM 032	VM 068	VM 100	VM 150
			R5 RD 0360 A R5 RE 0040 A R5 RE 0040 B R5 RE 0063 A R5 RE 0063 B

## DO YOU WANT TO KNOW MORE

Please contact us!  
[info@buschusa.com](mailto:info@buschusa.com) or +1-800-USA-PUMP



CONTACT FORM



CALL US NOW