DOW CORNING(R) 704 DIFFUSION PUMP FLUID

Version 1.1	Revision Date: 03/25/2015		SDS Number: 8463-00002	Date of last issue: 12/11/2014 Date of first issue: 12/11/2014	
SECTION	1. IDENTIFICATION				
Prod	uct name	:	DOW CORNING	(R) 704 DIFFUSION PUMP FLUID	
Prod	uct code	:	000000000000000000000000000000000000000	00144	
Man	Manufacturer or supplier's		ils		
Com	pany name of supplier	:	Dow Corning Co	rporation	
Address		:	South Saginaw F Midland Michiga		
Telep	phone	:	(989) 496-6000		
Eme	rgency telephone	:	24 Hour Emerge CHEMTREC : (80	ncy Telephone : (989) 496-5900 00) 424-9300	
Reco	Recommended use of the chemical and restrictions on use				

Recommended use : Hydraulic fluids and additives

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Not a hazardous substance or mixture. GHS Label element

Not a hazardous substance or mixture. Other hazards None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Tetramethyltetraphenyl trisiloxane
CAS-No.	:	3982-82-9
Chemical nature	:	Silicone compound

Hazardous ingredients

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled

: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

DOW CORNING(R) 704 DIFFUSION PUMP FLUID

Version 1.1	Revision Date: 03/25/2015	MSDS Number: 938463-00002		Date of last issue: 12/11/2014 Date of first issue: 12/11/2014		
In case of skin contact		:		and soap as a precaution. tion if symptoms occur.		
In case of eye contact		:	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.			
If swallowed		:	Get medical atten	NOT induce vomiting. tion if symptoms occur. oughly with water.		
Most important symptoms and effects, both acute and delayed		:	None known.			
Prote	ection of first-aiders	:	No special precau	utions are necessary for first aid responders.		
Notes to physician		:	Treat symptomati	cally and supportively.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Fire burns more vigorously than would be expected. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides Formaldehyde
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Remove all sources of ignition.
tive equipment and emer-		Follow safe handling advice and personal protective equip-

DOW CORNING(R) 704 DIFFUSION PUMP FLUID

Version 1.1	Revision Date: 03/25/2015	MSDS Number: 938463-00002	Date of last issue: 12/11/2014 Date of first issue: 12/11/2014		
gency procedures		ment recommend	lations.		
Environmental precautions		 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. 			
Methods and materials for containment and cleaning up		For large spills, p ment to keep mat pumped, store re Clean up remaini bent. Dispose of satura priately, since spo Local or national posal of this mate employed in the o mine which regul Sections 13 and	t absorbent material. rovide diking or other appropriate contain- terial from spreading. If diked material can be covered material in appropriate container. ng materials from spill with suitable absor- ated absorbent or cleaning materials appro- ontaneous heating may occur. regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements.		

SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	Use only with adequate ventilation.	
Advice on safe handling	Handle in accordance with good industrial hygiene and safe practice. Take care to prevent spills, waste and minimize release to environment.	-
Conditions for safe storage	Keep in properly labeled containers. Store in accordance with the particular national regulations	
Materials to avoid	Do not store with the following product types: Strong oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	: Processing may form hazardous compounds (see section
	10).
	Ensure adequate ventilation, especially in confined areas.

Version 1.1	Revision Date: 03/25/2015	MSDS Number:Date of last issue: 12/11/2014938463-00002Date of first issue: 12/11/2014			
		Minimize workplace exposure concentrations.			
Perse	onal protective equipr	ent			
Respiratory protection		: No personal respiratory protective equipment norm required.	No personal respiratory protective equipment normally required.		
Hand	protection				
Re	marks	: Wash hands before breaks and at the end of workc	lay.		
Eye protection		Wear the following personal protective equipment: Safety glasses			
Skin	and body protection	: Skin should be washed after contact.			
Hygiene measures		 Ensure that eye flushing systems and safety showed located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. These precautions are for room temperature handling elevated temperature or aerosol/spray applications quire added precautions. For further information regarding the use of siliconed ganic oils in consumer aerosol applications, please the guidance document regarding the use of these materials in consumer aerosol applications that has developed by the silicone industry (www.SEHSC.constant the Dow Corning customer service group. 	ng. Use at may re- es / or- refer to type of s been		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: Colorless to pale yellow
Odor	: none
Odor Threshold	: No data available
рН	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 300 °C
Flash point	: > 101.1 °C Method: closed cup
Evaporation rate	: No data available

DOW CORNING

Version 1.1	Revision Date: 03/25/2015	MSDS Number:Date of last issue: 12/11/2014938463-00002Date of first issue: 12/11/2014		
Flamr	mability (solid, gas)	:	Not applicable	
Upper explosion limit		:	No data available	
Lower explosion limit		:	No data available	
Vapor	r pressure	:	No data available	
Relati	ve vapor density	:	No data available	
Relati	ve density	:	1.065	
Wa	ility(ies) ater solubility	:	No data available	
Partition coefficient: n- octanol/water		:	No data available	
Autoi	Autoignition temperature		No data available	
Deco	Decomposition temperature		No data available	
Visco Vis	sity cosity, kinematic	:	38.0 cSt	
Explo	sive properties	:	Not explosive	
Oxidiz	zing properties	:	The substance or	mixture is not classified as oxidizing.
Molec	Molecular weight		No data available	

DOW CORNING

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	 Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition proc Thermal decomposition	

5/11

Version	Revision Date:	MSDS Number:	Date of last issue: 12/11/2014
1. 1	03/25/2015	938463-00002	Date of first issue: 12/11/2014

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral tox- icity Remarks: Based on test data
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on test data

Skin corrosion/irritation

Not classified based on available information.

Product:

Species: Rabbit Result: No skin irritation Remarks: Based on test data

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species: Rabbit Result: No eye irritation Remarks: Based on test data

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Test Type: Maximization Test (GPMT) Species: Guinea pig Remarks: No known sensitising effect. Based on test data

Versio 1. 1	n Revision Date: 03/25/2015	MSDS Number: 938463-00002	Date of last issue: 12/11/2014 Date of first issue: 12/11/2014		
G	erm cell mutagenicity				
Ν	lot classified based on availal	ble information.			
<u>P</u>	roduct:				
G	enotoxicity in vitro	ity in vitro : Test Type: Bacterial reverse mutat Result: negative Remarks: Based on test data			
С	Carcinogenicity				
Not classified based on available information.					
L	ARC	No ingredient of this product present at levels greater than of equal to 0.1% is identified as probable, possible or confirme human carcinogen by IARC.			
C	DSHA	No ingredient of this product present at levels greater than equal to 0.1% is identified as a carcinogen or potential car gen by OSHA.			
Ν	NTP	No ingredient of this product present at levels greater than equal to 0.1% is identified as a known or anticipated carci by NTP.			

DOW CORNING

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Product:

Routes of exposure: Ingestion Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Product:

Species: Rat Application Route: Ingestion Remarks: Based on test data

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

DOW CORNING(R) 704 DIFFUSION PUMP FLUID

Version 1.1	Revision Date: 03/25/2015	MSDS Number: 938463-00002	Date of last issue: 12/11/2014 Date of first issue: 12/11/2014	
Toxicit	y to fish	 LC50 (Cyprinus carpio (Carp)): > 1,000 mg/l Exposure time: 96 h LC50 (Salmo gairdneri): > 1,000 mg/l Exposure time: 96 h 		
	tence and degradab a available	ility		
Bioaccumulative potential No data available				
	ty in soil a available			
•	adverse effects a available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Resource Conservation and Recovery Act (RCRA)	: When a decision is made to discard this material as supplied, it is classified as a RCRA hazardous waste.	
Waste Code	: D018	
Waste from residues	: Dispose of in accordance with local regulations.	
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.	-

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Version	Revision Date:	MSDS Number:	Date of last issue: 12/11/2014
1. 1	03/25/2015	938463-00002	Date of first issue: 12/11/2014

DOW CORNING

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 311/312	Hazards	:	No SARA Hazards		
SARA 302		: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			reporting
SARA 313		:	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
US State Regu	llations				
Pennsylvania	Right To Know	,			
	Tetramethyltet	tra	phenyl trisiloxane	3982-82-9	90 - 100 %
New Jersey Ri	ght To Know				
	•		phenyl trisiloxane	3982-82-9	90 - 100 %
	Tetraphenyldir	me	thyldisiloxane	807-28-3	1 - 5 %
California Pro	fornia Prop 65This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.				
The ingredient	ts of this produ	ıct	are reported in the followi	ng inventories:	
KECI		:	All ingredients listed, exemp	ot or notified.	
REACH		:	All ingredients (pre-)registe	red or exempt.	
TSCA		:	: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.		
AICS		: All ingredients listed or exempt.			
IECSC		: All ingredients listed or exempt.			
ENCS/ISHL		:	All components are listed on ENCS/ISHL or exempted from inventory listing.		
PICCS		:	All ingredients listed or exe	mpt.	
DSL		:	All chemical substances in this product comply with the CEPA		

Version 1.1	Revision Date: 03/25/2015	MSDS Number: 938463-00002	Date of last issue: 12/11/2014 Date of first issue: 12/11/2014	
			R and are on or exempt from listing on the estic Substances List (DSL).	
NZIOC : All ingredients listed or exempt.			isted or exempt.	
Inventories				
AICS	AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan),			

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

DOW CORNING

SECTION 16. OTHER INFORMATION



 Data Sheet
 cy, http://echa.europa.eu/

 Revision Date
 : 03/25/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



VersionRevision Date:MSDS Number:Date of last issue: 12/11/20141. 103/25/2015938463-00002Date of first issue: 12/11/2014

US / Z8