



HPU 001, Handheld Programming Unit



Similar Image

HPU 001, Handheld Programming Unit

- The ideal assistant for controlling and monitoring the pump parameters
- Management of complete pump configurations/parameter sets
- 9-pin D-sub, serial interface RS-232 for connection to the PC
- RJ 45, serial interface RS-485 for connection to a Pfeiffer Vacuum drive unit
- Interface cable M12/RJ 45 and RJ 45/RJ 45 for electronic drive unit included in scope of delivery, cable length 3 m
- Multilingual menus
- Graphical display

| Technical Data | HPU 001, Handheld Programming Unit |
|---------------------|------------------------------------|
| Protection category | IP 20 |
| Ambient temperature | 5-40 °C 41-104 °F 278-313 K |
| Weight | 0.25 kg 0.55 lb |

| Order number | |
|--------------|----------------------|
| HPU 001 | PM 051 510 -T |

| Accessories | |
|------------------------------------------------------------|----------------------|
| Control Devices Power supplies and control displays | |
| Accessories package for HPU 001/PC | PM 061 005 -T |

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.

PFEIFFER  **VACUUM**