



**Cold cathode gauge head IKR 070,
triaxial, metal seal, DN 40 ISO-KF**




Similar Image

Cold cathode gauge head IKR 070, triaxial, metal seal, DN 40 ISO-KF

- Flange size DN 40 ISO-KF
- For UHV
- Radiation-resistant

Dimensions



Technical Data	Cold cathode gauge head IKR 070, triaxial, metal seal, DN 40 ISO-KF
Ambient temperature	5-80 °C 41-176 °F 278-353 K
Attribute	Metal sealed
Bakeout temperature	Max. 250 °C Max. 482 °F Max. 523 K
Flange, material	Stainless steel
Insulator	Al ₂ O ₃
Measuring range	1 · 10 ⁻¹¹ – 5 · 10 ⁻³ hPa
Nominal diameter	DN 40 ISO-KF
Radiation resistance	1 · 10 ⁴ Gy
Seal	Silver
Weight	600 g

Order number	
IKR 070, triaxial	PT R20 501

Accessories	
Cables Measurement cables	
Measurement cable, IKR 070, 3.0 m, 80 °C	PT 548 306 -T
Measurement cable, IKR 070, 6.0 m, 80 °C	PT 548 317 -T
Measurement cable, IKR 070, 10 m, 80 °C	PT 548 490 -T
Measurement cable, IKR 070, 15 m, 80 °C	PT 548 491 -T
Measurement cable, IKR 070, 20 m, 80 °C	PT 548 492 -T
Measurement cable, IKR 070, 30 m, 80 °C	PT 548 493 -T
Measurement cable, IKR 070, 40 m, 80 °C	PT 548 494 -T
Measurement cable, IKR 070, 45 m, 80 °C	PT 548 495 -T

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.

PFEIFFER  **VACUUM**