

## Molsiv Adsorbents 13X 4x8

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name Molsiv Adsorbents 13X 4x8

Number 89449

Product Use Description : Adsorbents

Manufacturer or supplier's : UOP LLC

details

25 E. Algonquin Road Des Plaines, IL 60017-5017

**USA** 

Telephone : +1-847-391-2000 Telefax : +1-847-391-2253

In case of emergency call: Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

(24 hours/day, 7 days/week)

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

: Beads or pellets Form

Color : white to tan

Odor : none

#### Classification of the substance or mixture

Classification of the : Carcinogenicity, Category 1A, Inhalation

substance or mixture

#### GHS Label elements, including precautionary statements



# **Molsiv Adsorbents 13X 4x8**

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

Symbol(s) :

Signal word : Danger

Hazard statements : May cause cancer by inhalation.

Precautionary statements : Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Use personal protective equipment as required.

Response:

IF exposed or concerned: Get medical advice/ attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Hazards not otherwise

classified

: The product gets hot as it first adsorbs water.

#### Carcinogenicity

NTP: Quartz (SiO2) 14808-60-7

Known carcinogen

IARC: Quartz (SiO2) 14808-60-7

Group 1: Carcinogenic to humans

ACGIH: Quartz (SiO2) 14808-60-7

A2: Suspected human carcinogen



# **Molsiv Adsorbents 13X 4x8**

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Chemical Name	CAS-No.	Concentration
Zeolite, cuboidal, crystalline, synthetic, non-fibrous	1318-02-1	>70.00 %
Mineral binder	-	<30.00 %
Quartz (SiO2)	14808-60-7	<5.00 %

Note

: Composition as shown represents the chemical composition of the product and is not representing the composition for inventory purposes. See Section 15 for inventory information.

#### **SECTION 4. FIRST AID MEASURES**

Inhalation : Remove to fresh air. If symptoms persist, call a physician.

Skin contact : Wash off with soap and plenty of water. If skin irritation

persists, call a physician.

Eye contact : Rinse immediately with plenty of water for at least 15 minutes.

If eye irritation persists, consult a physician.

Ingestion : Drink at least 2 glasses of water. Obtain medical attention.

Never give anything by mouth to an unconscious person.

Notes to physician

Treatment : This product is a desiccant and generates heat as it adsorbs

water. The used product can contain material of a hazardous

nature. Identify that material and treat symptomatically.



### Molsiv Adsorbents 13X 4x8

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Not combustible.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

: The product itself does not burn.

The used product can retain material of a hazardous nature.

Identify that material and inform the fire fighters.

Special protective equipment

for firefighters

: In the case of respirable dust and/or fumes, use self-contained

breathing apparatus and dust impervious protective suit.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : For personal protection see section 8.

Environmental precautions : No special environmental precautions required.

Methods for cleaning up : Sweep, shovel or vacuum spilled product into appropriate

containers (do not use a vacuum if material has contacted a

hydrocarbon material).

Pick up and arrange disposal without creating dust. Never return spills in original containers for re-use.

Spilled product should be disposed of in accordance with all

applicable government regulations.

#### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Handling : Handle and open container with care.

Avoid dust formation.

Avoid contact with skin and eyes.

Provide an electrical ground connection during loading and transfer operations to avoid static discharge in an explosive atmosphere and to prevent persons handling the product from

receiving static shocks.

A copy of UOP's booklet, "Precautions & Safe Practices for

Page 4 / 13



## **Molsiv Adsorbents 13X 4x8**

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

Handling Zeolite Molecular Sieve Adsorbents in Process Units", can be obtained from your UOP representative at no

cost.

Storage

Requirements for storage areas and containers

Store in original container.

Keep in a dry place.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Eye protection : Safety glasses

Safety goggles

Hand protection : Protective gloves

Skin and body protection : Work uniform and gloves to prevent prolonged contact.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Breathing apparatus with filter: NIOSH classification N-100 or if

oil/liquid aerosols are present P-100 (42 CFR 84).

**Exposure Guidelines** 

Exposure Guidelines						
Components	CAS-No.	Value	Control parameters	Upda te	Basis	
Zeolite, cuboidal, crystalline, synthetic, non- fibrous	1318-02-1	TWA: Time weighted average	1 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values	
Further : information	Form of exposure	: Respirable	fraction.			

Quartz (SiO2)	14808-60-7	TWA:	0.025 mg/m3	2008	ACGIH:US. ACGIH
		Time			Threshold Limit
		weighted			Values
		average			



# Molsiv Adsorbents 13X 4x8

# 89449

Further	  :	Form of exposure	e : Respirable	e fraction.		
information						
Quartz (SiO2)		14808-60-7	REL: Recomm ended exposure limit (REL):	0.05 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Further information		Form of exposure	: Respirable	dust.		
Quartz (SiO2)		14808-60-7	TWA : Time weighted average	0.1 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Further information	:	Form of exposure	e : Respirable	dust.		
Quartz (SiO2)		14808-60-7	TWA : Time weighted average	2.4 millions of particles per cubic foot of air The exposure limit is calculated from the equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)



# Molsiv Adsorbents 13X 4x8

# 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

Quartz (SiO2)	14808-60-7	TWA : Time weighted average	0.1 mg/m3 The exposure limit is calculated from the equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
Further : information	Form of exposure	: Respirable	).	ı	

Quartz (SiO2)	14808-60-7	TWA: Time weighted average	0.3 mg/m3 The exposure limit is calculated from the equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will give higher exposure limits.	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
Further : information	Form of exposure	: Total dust.	•		

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Beads or pellets

Color : white to tan

Odor : none

pH : Note: Not applicable

Page 7 / 13



# Molsiv Adsorbents 13X 4x8

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

Melting point/range : > 400 °C

Boiling point/boiling range : Note: Not applicable

Flash point : Note: Not applicable

Density : > 2.0 g/cm3

Specific gravity : > 1.0

Water solubility : Note: insoluble

Solubility in other solvents : Note: insoluble

Bulk density : Note: For further information, refer to the product technical

data sheet.

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable

Incompatible materials to

avoid

: Sudden contact with high concentrations of chemicals having

high heats of adsorption such as olefins, HCl, etc.

When first wetted, the product can heat up to the boiling point

of water. Flood with water to cool material.

Hazardous decomposition

products

: No decomposition if used as directed.

Hydrocarbons and other materials that contact the product

during normal use can be retained on the product.

It is reasonable to expect that decomposition products will



## Molsiv Adsorbents 13X 4x8

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

come from these retained materials of use.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 Oral: > 32,000 mg/kg

Species: Rat

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : LD50 Dermal: > 2,000 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Classification: Not classified as a skin irritant in animal testing.

Eye irritation : Species: Rabbit

Result: mild transient effects

Further information : Note: The toxicological data has been taken from products of

similar composition.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

: Note: no data available Toxicity to fish

Toxicity to daphnia and other : Note: no data available

aquatic invertebrates

Toxicity to algae : Note: no data available

Page 9 / 13



# **Molsiv Adsorbents 13X 4x8**

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

#### Elimination information (persistence and degradability)

Bioaccumulation : Note: no data available

Mobility : Note: no data available

Biodegradability : Note: no data available

#### Further information on ecology

Additional ecological

information

: No information on ecology is available.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : This product (in its fresh unused state) is not listed by generic

name or trademark name in the U.S. EPA's RCRA regulations

and does not possess any of the four identifying

characteristics of hazardous waste (ignitability, corrosivity,

reactivity or toxicity).

Materials of a hazardous nature that contact the product during normal use may be retained on this product. The user of the product must identify the hazards associated with the retained material in order to assess the waste disposal

options.

#### **SECTION 14. TRANSPORT INFORMATION**

**DOT** Not dangerous goods

TDG Not dangerous goods

IATA Not dangerous goods

**IMDG** Not dangerous goods



# Molsiv Adsorbents 13X 4x8

#### 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

#### SECTION 15. REGULATORY INFORMATION

**Inventories** 

US. Toxic Substances

Control Act

: On the inventory, or in compliance with the inventory

Australia. Industrial

Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian

Environmental Protection Act (CEPA). Domestic Substances List (DSL)

: All components of this product are on the Canadian DSL.

Japan. Kashin-Hou Law

List

: On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

Chemical Substances

China. Inventory of Existing : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

Note : Zeolites are considered Statutory Mixtures for Inventory

purposes, for more information, contact

SafetyDataSheet@honeywell.com.

**National regulatory information** 

**SARA 302 Components** : No chemicals in this material are subject to the reporting



# **Molsiv Adsorbents 13X 4x8**

## 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

requirements of SARA Title III, Section 302.

: Quartz (SiO2) 14808-60-7

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

: Quartz (SiO2) 14808-60-7

SARA 311/312 Hazards : Chronic Health Hazard

California Prop. 65 : WARNING! This product contains a chemical known to the

State of California to cause cancer.

Quartz (SiO2) 14808-60-7

Massachusetts RTK : Quartz (SiO2) 14808-60-7

New Jersey RTK : Quartz (SiO2) 14808-60-7

Pennsylvania RTK : Quartz (SiO2) 14808-60-7

WHMIS Classification : D2A: Very Toxic Material Causing Other Toxic Effects

This product has been classified according to the hazard criteria

of the CPR and the MSDS contains all of the information

required by the CPR.

#### **SECTION 16. OTHER INFORMATION**

Health hazard : 1\* 1
Flammability : 0 0
Physical Hazard : 1
Instability : 1

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

<sup>\* -</sup> Chronic health hazard



# Molsiv Adsorbents 13X 4x8 89449

Version 2.0 Revision Date 05/22/2015 Print Date 06/11/2015

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 02/07/2015

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group